INDEX FOR VOLUME 34

AUTHOR AND SUBJECT INDEX
New species in **blackface type**
Junior authorship indicated by pages in "( )".

Prepared by Ernest P. DuCharme, Minnesota Agricultural Experiment Station, University Farm, St. Paul, Minnesota.

Acer rubrum, 1070
  saccharum, gall of, 132
    sapstreak of, new, 1069
Acid mercury, control of crown rot of iris, 773
ADDICOTT, F. T., 508, 697
Adelonosus lilii n. gen., n. sp., necrotic-fleck of lily, 551
Aegilops spp., Erysiphe graminis on, 6
Agapanthus africanus, Ornithogalum mosaic on, 499
Agrobacterium rubi, new strain of, on boysenberry, 259
Agrostis spp., Puccinia graminis on, 302
Agrostis alba, Erysiphe graminis on, 7
  exarata, blind-seed of, 934
Agropyron spp., host to Erysiphe graminis, 6
  Phoma terrestris on, 129
  Puccinia graminis on, 302
Agropyron cristatum, stem smut of, 934
  repens, stem smut of, 934
  trachycaulum, stem smut of, 934
    Ustilago linearis forma hordei, 1004
AINSWORTH, F. C., 147
Aira caryophyllea, blind-seed of, 934
Albino Cherry, a virus disease, 937
Albizzia julibrissin, canker and decay of, 985
Alfalfa, effect of fungicides on germination of, 799
  in rotation with sugar beets, 805
  transmission studies of witches'-broom on, 936
Alligator weed, for production of basidiospores of Rhizoctonia solani, 999
ALLISON, J. L., 799, (998)
Allium spp., (see also Onion)
  cepa, 500
  cernuum, 500
    Phoma terrestris on, 130
  fistulosum, 500
  neopolitanum, virus of, 990
  porrum, 500
  vineale, virus of, 990
  viruses of, 990
Allyl isothiocyanate, control of clubroot of cabbage with, 187
Almond, yellow bud mosaic on, 658
Alopecurus spp., Puccinia graminis on, 302
  geniculatus, blind-seed of, 934
  pratensis, Erysiphe graminis on, 7
Alpha-naphthaleneacetic acid, treatment of stored potatoes with, 1012
Alternaria sp., spore dimension to rate of fall, 231
  compacta, n. comb., seedling blight of Ricinus communis, 228
  solani, in N. Jersey, 176
    in relation to physiological maturity of tomato, 997
    on tomato fruit, 343
  tenuis, on tomato fruit, 343
  relation to seedling blight of flax, 1011
Aluminum sulphate, in control of clubroot, 191
Amanita rubescens, spore dimension to rate of fall, 231
Amanitopsis vaginata, spore dimension to rate of fall, 231
Amaranthus retroflexus, susceptibility to Aphanomyces cochlioides, 808
  punctate necrosis virus on, 1006
AMERICAN PHYTOPATHOLOGICAL SOCIETY, annual meeting report, 515
  Pacific Division, annual meeting, 933
  Potomac Division, annual meeting, 990
p-Aminobenzenesulfanilamide, use in immunization of peach trees to X-disease, 1011
Ammonium chloride, relation to copper toxicity, 201
  citrate, relation to copper toxicity, 201
  hydroxide, relation to copper toxicity, 201
  sulphate, relation to copper toxicity, 201
Anatomy, effects of spray injury in guayule seedlings on, 697
ANDERSON, E. J., 1011
ANDREWS, E. A., 352
Angular leaf spot, technique for testing resistance to, 235
Annulus cerasae, ring-spot of cherry, 1003
Anthracnose, of Chamaecrista, partridge pea, 1081
  control of on tomatoes, 1003, 1015
  foliage infection of tomato, 976
  infection of cotton seedlings as affected by temperature, 861
  of peas, 1010
  of tobacco, new, 993
  of tomato, control of with zincate and methasan, 1014
Ansatospora macrospora n. gen., 98
Antagonisms, of soil organisms to Fusarium oxysporum cubense, 426
Antirrhinum majus, 498
Aphanomyces cochlioides, 805
  in relation to Pythium debaryanum on sugar beets, 490
  pathogenicity of, on sugar beets, 485
  seedling disease of sugar beets, 1012
Aphis fabae, vector of tulip breaking virus, 737
  gossypii, transmission of Ornithogalum virus, 498
  transmission of tigridia mosaic, 595

vector of coarse mottle of lily, 734
vector of necrotic-fleck, 538
marutae, vector of cineraria mosaic, 950
Apium graveolens (see Celery)
Apple, control of scab with methasan and fermate, 1014
derivatives of pyridine and quinoline, toxicity to, 1004
effect of organic fungicides on, 1002
Sporonema rot of, 437
Xylaria mali, soil treatment for, 1001
Apple scab, control with isoquinolinium, 1008
control of with organic fungicides, 1002
spray boom adapted for ground-spraying to combat, 1005
Apples, spray injury and pre-harvest drop, 1015
Apricot, peach mosaic on, 658
Arabis hirsuta, lovage virus on, (exp.), 339
mosaic on, new, 324
Arachniotus spp., 47
Aralia spinosa, Sphaceloma disease of, 981
Arasan, control of covered kernel smut of sorghum, 1034
control of Fusarium scale rot of lilies, 966
control of lily bulb scale rot, 992
seed treatment, 935
of legumes, 799
of peas, 753, 1007
of sugar beets, 990
ARK, P. A., 330, 394, 416, 933
Armellaria mellia, in roots of sugar maple, 1070
ARNDT, C. H., 861
ARNY, D. C., (572)
Arrhenatherum spp., Puccinia graminis on, 302
elatius, Erysiphe graminis on, 8
Arthraxon hispidus, Phoma terrestris on, 129
Ascochyta pinodella, 758
seed treatment of peas for, 1007
Ascorbic acid, content of in cabbage in combination with resistance to disease, 1017
Aspergillus spp., 47
Aster yellows, purple-top of potatoes, 1000
Atropa belladonna, carrier of punctate necrosis virus, 1006
Aucuba mosaic, study in multiplication, 151
Avena spp., Erysiphe graminis on, 8
Puccinia graminis on, 305
relationship of Puccinia coronata to, 21
Avena sativa (see Oats)
AVENS, A. W., (1008)
Azaleas, control of leaf-gall on, 354

Babiana, Tigridia-mosaic on, 594
Bacillus mesentericus, in relation to solubility of cuprous oxide, 462
subtilis, in relation to solubility of cuprous oxide, 463
Bacteria, cause of wetwood of elm, 997
Bacterial blight,
of purple vetch, 933
of sugar beet, 933
walnut, pollen as a source of infection, 330
Bacterial canker, of cowpeas, 439
of tomato, 394
Bacterial invasion, of water-soaked tobacco leaves, 250
through stomata, 1005
Bacterial pustule, dusting for, 1007
Bacterial rot, of spinach, 747
of Sansevieria, 350
Bacterial wilt, of tomato, 443
of tobacco controlled by rotation, 875
Bacterium aptatum, black streak of sugar beet, 933
medicaginis var. phaseolicola, on wheat roots, 998
solanacearum, on tobacco, 990
control of in tobacco by rotation, 875
tabacum, association with plant roots, 165
invasion of tobacco leaves, 250
vignae, bacterial canker of cowpea, 441
angulatum, association with plant roots, 165
invasion of tobacco leaves, 250
BAIN, D. C., 845
BAKER, K. F., (981)
Barbak III, in control of millet smut, 1053
Barley, brome-grass mosaic on, 993
host parasite relation to Xanthomonas translucens, 1013
infection of with Xanthomonas translucens, 1013
reaction of varieties to stripe, 572
BARRETT, J. T., (979)
BARRETT, R. W., 997
BARRUS, M. F., 712
BARSS, H. P., 994
Basal rot, of tomato, 615
Basidiospore, cultures of Rhizoctonia solani, 999
BAXTER, D. W., 989
BAWDEN, F. C., 988
Bean, arabis-mosaic virus on, new, 326
broad, Fusarium diseases of, 385
brome-grass mosaic on, 993
derivatives of pyridine and quinoline, toxicity to, 1004
guar, lethal virus on, (exp.), 998
halo blight of, 471
control of bean rust, 936
lovage virus on, (exp.), 338
Rhizoctonia solani on, 1056
ringspot virus on, 74
rust, control of, 936
in rotation, for control of tobacco root-knot, 871
severe necrosis caused by mosaic virus, 510
witches'-broom of, 505
Xanthomonas phaseoli and Marmor phaseoli on, 662
Xanthomonas **vignicola** sp. nov., on, 430
BEATTIE, R. B., 996
Beta vulgaris (see Sugar beet), 77
Beckmannia eruceaeformis, Erysiphe graminis on, 8
BENNETT, C. W., 77, 905
Benzene vapor, in control of cabbage mildew, 1000

BERKELEY, G. H., (615)
Big vein of lettuce, transmission of, 900
BINKLEY, A. M., (753)
BISBY, G. R., (147)
BITANCOURT, A. A., 358
Biographies,
ANDRÉS R. LÓPES ELÍAS, 357
BUTLER, SIR EDWIN, 149
FRASER, W. P., 707
MITRA, M., 939
SWINGLE, D. B., 769
Biometry, spore dimension to rate of fall, 231
BISHOP, C. F., (1006)
Bitter rot, of apple, control with methasan and fermate, 1014
Blight, bacterial blight of vetch, 933
Blind-seed, of ryegrass, 934
Blackfire, control of in tobacco seedbeds, 997
Black rot, of apple, soil treatment, 1001
of grapes, control of, 1011
Black-scale, of Easter lily bulbs, 556
Blue mold, eradication of in tobacco growing areas, 1012
BLODGETT, E. C., 650
Boletus badius, spore dimension to rate of fall, 231
Book Reviews
A Dictionary of the Fungi, 147
Diseases and Pests of Ornamental Plants, 261
Pathology in Forest Practice, 989
Plant Viruses and Virus Diseases, 988
Rzhavchina Khlebnykh Zlakov v SSSR, (Rusts of Cereals in USSR), 513
Bordeaux mixture, in control of black rot of grapes, 1011
in control of brown rot of cherry, 997
in control of early blight and anthracnose of tomatoes, 1003
in control of foliage diseases of tomato, 1009
entrance of, in water-soaked leaves of tobacco, 252
greenhouse weathering tests, 1014
high calcium lime vs. high magnesium lime in, for control of cherry leaf-spot, 1009
hop twine treatment, 1008
influence of guttation on, 199
tobacco seedbed treatment, 997
Botrytis, leaf spot of vetch, 245
cinerea, 21
convoluta, crown rot of iris, control of, 772
tulipae, control of, 703
BOYLE, ALICE M., (350), 761
Bouteloua spp., Phoma terrestris on, 129
Boysenberry, Agrobacterium rubi on, n. strain, 259
BRANDWEIN, P. F., 481
Brassica adpressa, mosaic in, 907
oleracea, Cercosporella on, 936
Brassican, in control of clubroot, 191
BRAUN, A. J., 933
Breeding, corn, for charcoal-rot resistance, 839
millet, for smut resistance, 1054
wheat, for rust resistance, 884
BRIERLEY, P., 506, 529, (593), 718, 990
Broadbeans, Rhizoctonia solani on, 1063
Bromus spp., Erysiphe graminis on, 8
Phoma terrestris on, 129
Puccinia graminis on, 306
carinatus, Xanthomonas translucens on, 1013
catharticus, Xanthomonas translucens on, 1013
erectus, Xanthomonas translucens on, 1013
inermis, brown leaf spot of, 997
host parasite relation to Xanthomonas translucens, 1013
infection with Xanthomonas translucens, 1013
marginatus, Xanthomonas translucens on, 1013
racemosus, blind-seed of, 934
BROWN, J. G., 350
Brown rot, control of on cherries, 997
control of with organic fungicides, 1002
BRYANT, L. R., 847
Buba, smut disease of potatoes, 712
BUCHHOLTZ, W. F., 485, 490, 805
Buckwheat, latent virus of dodder on, 81
Bunt (see also Tilletia)
method of inoculating wheat with, 124
BURKHOLDER, W. H., 430

Cabbage, analysis of guttation from, 197
Cercosporella of, 936
clubroot of, in relation to the calcium-potassium balance, 1001
control of clubroot, 185
control of mildew with benzene vapor, 1000
resistance to yellows and mosaic combined with high ascorbic acid content, 1012
CALAVAN, E. C., 997
Calcium, carbonate in guttation-salts, 436
-chloride, in control of clubroot, 191
-hydroxide, in control of clubroot, 191
ratio to potassium in relation to clubroot of cabbage, 1001
Calla, hot water treatment for Phytophthora root rot, 979
Calochortus sp., cucumber-mosaic in, 541
mottle virus on, 728
Calomel, control of crown rot of iris, 773
Calyx spray, for apples, 1018
Camassia leichtlinii, 500
CAMPBELL, W. A., (132)
Canker, bacterial canker of cowpea, 439
of Mimosa, 985
Cantaloupe, guttation-salt injury on leaves of, 436
latent virus of dodder on, 78
response of grafts on cucumber to Fusarium wilt, 991
Capsicum annuum, lovage virus on, (exp.), 338
Carbamate, ferric, control of scale rot of lilies, 966
zinc, control of early blight on tomatoes and potatoes, 1003

control of scale rot of lilies, 966
salt of, as a vegetable fungicide, 1014
Carbon disulphide, synergistic action with dimethyl amines, 136
Carneocephala fulgida, vector of grape virus, 1000
triguttata, vector of grape virus, 1000
Carrot, Ansatospora rot of, 101
bacterial blight as it affects the roots, 416
Cercospora leaf spot of, 606
Macrosporium leaf spot of, 606
transmission of peach virus to, 1006
CARSNER, E., 766, 933
CARTER, J. C., 997
CARVAJAL, F., 206, (827)
Caryne sarcoides, associated with gall of maple, 135
Castor Bean (see Ricinus communis)
Cedar-apple rust, control of with organic fungicides, 1002
Celery, control of early blight of, with zincate and methasan, 1015
latent virus of dodder on, 81
a serious storage rot of, 92
Cell inclusions, in mosaic-infected tobacco, 694
Cephalosporium roseum, 47
Ceratostomella ulmi, Dutch Elm disease, 1025
Ceratostomella ulmi, factors influencing the development of on elm, 1014
Cercospora apii, 102
carotae, leaf spot of carrot, 606
macrospora, 98
fruit and leaf-spot of olive, 257
Cercosporella albomaculans, of cabbage, 936
Ceresan, control of clubroot, 190
seed treatment, of peas, 1007
of sugar beets, 990
Ceresan, New Improved
control of calla root rot, 980
control of covered kernel smut of sorghum, 1034
control of lily scale rot, 966, 992
control of millet smut, 1053
flax seed treatment, 1011
legume seed treatment, 799
pea seed treatment, 753, 1007
sugar beet seed treatment, 990
tomato seed treatment, 847, 1005
Citrus Psorosis, 907
statistical studies of distribution of psorosis affected trees in orchards, 358
Chalara **quercina** n. sp., wilt of oak, 631
Chamaecrista fasciculata, stem and root rot of, 1077
procumbens, stem and root rot of, 1077
CHAMBERLAIN, D. W., 997, 998
Charcoal rot, of potatoes, 433
seedling infection of corn, 838
Chemotherapy, in immunization of peach trees to X-disease, 1011
Chenopodium alba, susceptibility to Aphanomyces cochlioides, 808
susceptible to latent virus of dodder, 84
murale, susceptible to latent virus of dodder, 84
Cherry, albino cherry of, 937
control of brown rot of, 997
deposition of fungicides on, 1008
effect of organic fungicides on, 1002
virus complex, 1003
CHESTER, K. S., 514, 998
CHILDS, J. F., 985
CHILTON, S. J. P., (999)
Chimera, peach calico, 651
Chlorobenzene, in control of clubroot, 191
Chlorogenus cerasae, yellows of cherry, 1003
Chloropicrin, control of basal rot of tomato, 621
in control or root-knot nematode, 957
Chrysanthemum hortorum, 498
Cladosporium herbarum, 47
CLAPPER, R. B., 762
CLAASSEN, C. E., (301)
CLAYTON, E. E., (60), 870, 990
Clover, effect of fungicides on germination of, 799
Clubroot, control of, 185
Coacervate, 35
COCHRAN, L. C., 240, 934
Colchicum autumnale, necrotic-fleck on, 540
COLE, J. R., 354
Colletotrichum sp., anthracnose of tobacco, new, 993
falcatum, perfect stage, 206
red rot of sugar cane, 827
gossypii, infection of cotton seedlings, 861
lilii sp. nov., black-scale of lily, 567
phomoides, 47
foliage infection of tomato with, 976
in N. Jersey, 175
pisi, of garden peas, 1010
Collybia dryophila, spore dimension to rate of fall, 231
Coniochaeta sp., associated with gall of maple, 135
COONS, G. H., 990
COOPER, W. E., (998)
Copper, carbonate, 100
in control of millet smut, 1053
seed treatment, for sugar beets, 990
-citrate, 991
copper-lime spray for control of brown rot of cherry, 997
fungicide, use with sulphur, 136
Hydro 40, control of foliage diseases of tomato, 1009
malate, 991
oxalate, 991
oxide, influence of guttation on, 199
yellow, seed treatment of peas, 1007
oxychloride, as a potato fungicide, 1003
sulphate, seed treatment of Lima beans, 798
silicate, 991
sodium polyphosphate, 991
sulphate, 991
control of bean rust, 936
control of crown rot of celery, 100
control of crown rot of iris, 773

as an eradicant spray, 936
tribasic, control of downy mildew with, 1008
tartrate, 991
Coppercarb, in control of covered kernel smut of sorghum, 1034
Copper-talc, in control of bacterial pustule of soybean, 1007
Coprinus comatus, spore dimension to rate of fall, 231
plicatilis, spore dimension to rate of fall, 231
Core rot, of gladiolus, 263
Corn, brome-grass mosaic on, 993
in rotation with sugar beets, 805
in rotation for control of tobacco root-knot, 872
seedling infection of by Sclerotium bataticola, 838
Corticium microsclerotia, and seedling blight of tung, 648
vagum var. solani, 758
Corynebacterium sepedonicum, effect of penicillin on, 760
COSTA, A. S., 151, 288
COTNER, F. B., 769
Cotton, boll shedding in relation to physical factors, 999
dissemination of Verticillium wilt through seed, 849
Rhizoctonia leaf spot on, 599
seedling infection with Colletotrichum gossypii, 861
testing resistance to angular leaf spot, 235
Cover-spray, of apples, 1018
Cowpea, bacterial canker of, 439
lethal guar virus on, 998
Rhizoctonia solani on, 1063
in rotation with tobacco, for control of root-knot, 871
Xanthomonas **vignicola**, sp. nov., on, 430
COX, C. E., 991
CRAIGIE, J. H., 707
Cranberry, false blossom in relation to flooding, 140
false-blossom virus, study in multiplication, 160
Crinkle, on Prunus avium, 1003
Cronartium ribicola, spore dimension to rate of fall, 231
Crotalaria, in rotation for control of tobacco root-knot, 879
Crown-gall, method for inoculating peach seedling with, 764
Crown rust, negative correlation between size of pustules and yield in oats, 1011
Crown rot, of celery, 92
control of in iris, 772
Crystals, in mosaic-infected tobacco, 695
Cucumber, analysis of guttation from, 197
Arabis mosaic virus on, new, 326
brome-grass mosaic on, (exp.), 993
grafts with muskmelon in relation to response to Fusarium wilt, 991
lovage virus on, (exp.), 338
mosaic of, 597
study of multiplication, 155
in sugar beets, 906
ringspot virus on, 72
Cucumis melo (see Cantaloupe, Muskmelon)
sativa (see Cucumber), 60
Cucurbita pepo (see Pumpkin)
Cucurbitaceae, lovage virus on, (exp), 338
Cuerna occidentalis, vector of grape virus, 1000
Culture media, cob-meal agar for Nigrospora oryzae, 321
for Pseudobalsamia microspora, 378
CUNNINGHAM, H. S., 790, 998
Cupric oxide, 991
Cuprocide, in control of millet smut, 1053
red, seed treatment for Lima beans, 794
seed treatment, 935
yellow, hop twine treatment with, 1008
control of defoliation diseases of tomato, 1009
Lima bean seed treatment, 794
pea seed treatment, 753
Cuprous oxide, 991
control of celery crown rot, 100
seed treatment of sugar beets, 990
seed treatment of tobacco seedbeds, 997
Curly top, recovery from, in tomato, 116
virus of sugar beet, 905
CURTIS, L. C., 196
Cuscuta californica, 77
transmission of viruses, 905
virus in multiplication in, 151
campestris, 85
transmission of viruses, 905
transmission of virus with, study in multiplication, 151
transmission of virus from peach to herbaceous plants, 1006
indecora, control of on flax, 704
latent virus of, 77
subinclusa, 85
transmission of viruses, 905
virus multiplication in, 151
Cyamopsis psoraloides, lethal virus of guar, 998
Cylindrocarpon spp., association with basal rot of tomato, 615
Cynosurus echinatus, blind-seed of, 934
Cytology, of host plant cells, 25

Dactylis spp., Puccinia graminis on, 306
glomerata, Erysiphe graminis on, 8
Phoma terrestris on, 129
DAINES, R. H., 764
Damping-off, control of in tobacco seeds, 997
relation of growth rate of host and parasite in preemergence, 1007
Danthonia californica, blind-seed of, 934
DARLEY, E. F., 998
DARLING, H. M., 998
Datura stramonium, etch of tobacco on, 907
lovage virus on, (exp.), 338
DAVIDSON, R. W., 132
DAVIS, B. H., 848
DDT, control of foliage diseases of tomato, 1009
use as a fungicide for early blight, 1003

DELWICHE, E. J., (1013)
DEMAREE, J. B., 991
Deschampsia spp., Erysiphe graminis on, 8
Puccinia graminis on, 306
caespitosa, blind-seed of, 934
Dextrose, use in immunization of peach trees to X disease, 1011
DIACHUN, S., (163), 250, 999
Diabrotica spp., vectors of squash mosaic, 409
Dichloronapthoquinone, control of foliage diseases of tomato, 1009
seed treatment of peas, 1007
DIEHL, W. W., 441
Digitalis lanata, punctate necrosis virus on, 1006
Dimethyl amine, synergistic use with carbon disulphide, 136
Dinitrochlorobenzene, in control of clubroot, 191
Dinitro-o-cyclohexylphenol, treatment for tree diseases, 241
DIMOCK, A. W., 981, (977), 999
DIMOND, A. E., 136
Diplodia natalensis, stem-end rot of orange, 983
Diseases, bacterial blight of carrot, 416
of broad bean, Fusarium, 385
charcoal rot of potatoes, 433
control of tobacco diseases by rotation, 870
damping-off in sugar beets, 490
method of inducing bark-shelling in tree diseases, 240
relation of nutrition to severity of, 603
of seedling sugar beets, 1012
a vascular disease of gladiolus caused by Fusarium, 263
Dissemination, distance as a factor in the spread of Dutch Elm disease, 1025
of Phytomonas juglandi on pollen, 334
Dissociation, of Xanthomonas phaseoli, 686
Distichlis stricta, Phoma terrestris on, 129
Distribution, of broad bean wilt, 385
of crown rot of iris on rhizomes, 775
of oak wilt, 637
of Phoma terrestris in the Great Plains, 129
of psorosis affected trees in citrus orchards, 358
of race 8 of Puccinia graminis avenae in the United States, 421
of stripe smut of Poa pratensis, 411
Dithane, effect on orchard fruits, 1002
hop twine treatment with, 1008
Dodder (see Cuscuta), control of on flax, 704
latent mosaic, 907
multiplication of viruses in, 151
transmission of plant viruses, 905
DODGE, B. O., 261
DOOLITTLE, S. P., (900)
DOSDALL, L., 772
Dowicide, in control of clubroot, 191
Downy mildew, hop twine treatment in control of, 1008
Draeculacephala minerva, vector of grape virus, 1000
Drought, in relation to shedding of bolls in cotton, 999
DuBay 1205F, flax seed treatment, 1011
1452–C, in control of covered kernel smut of sorghum, 1034
DUFRENOY, JEAN, (21)
DUGGAR, B. M., (1003)
DUNLAP, A. A., 999
Dutch Elm disease, distance as a factor in the spread of, 1025
factors influencing the development of, 1014

Eagle mottle, strain of prune dwarf virus, 1038
Early blight, control of on vegetables with zineate, 1014
Echinochloa crusgalli, Phoma terrestris on, 129
EDGERTON, C. W., 203, 827
Eggplant, in rotation for control of bacterial wilt of tobacco, 875
Electrophoretic studies, of virus, 1000
Elgetol, eradicant spray for control of grape black rot, 1011
ground spray for apple scab, 1005
Elm, distance as a factor in the spread of Dutch Elm disease, 1025
factors influencing the development of Ceratostomella ulmi of, 1014
histo-pathologic changes in phloem-necrosis of, 818
wetwood of, in Illinois, 997
Elymus spp., Erysiphe graminis on, 9
Phoma terrestris on, 129
Puccinia graminis on, 306
canadensis, stem smut of, 934
Empoasca fabae, control of on potatoes, 1003
Endoconidiophora coerulescens, associated with sapstreak of sugar maple, new, 1070
virescens, associated with sapstreak of sugar maple, new, 1070
English peas, Rhizoctonia solani on, 1063
Environment, effect of on pathogenicity of Rhizoctonia on beans, 1064
Eragrostis pilosa, Phoma terrestris on, 129
Eriogonum fasciculatum, 917
latent virus of dodder on, 77
Erwinia carnegieana, effect of penicillin on, 760
carotovora, 747
association with charcoal rot of potatoes, 433
Erysiphe graminis, specialization of pathogenicity on wild and cultivated grasses, 1
communis, 1
graminis, hosts of, 2–4
agropyri, 1
avenae, 1
bromi, 1
hordei, 18
poae, 1
secalis, 1
tritici, on Triticum spp., 1–2

Escherichia coli, in relation to solubility of cuprous oxide, 462
Ethyl mercury chloride (see Ceresan)
Ethyl mercury phosphate (see New Improved Ceresan), 100
tomato seed treatment, 175
Ethylene dichloride, in control of root-knot nematode, 955
Eutettix tenellus, 85
Eutypella stellata, on Mimosa, 987
EXNER, B., 999

Fagopyrum esculentum (see Buckwheat)
False blossom, of cranberry in relation to flooding, 140
FAWCETT, H. S., 240, (358)
FANG, C. T., 1020
Fermate, an apple spray after bloom, 1005
compatibility with summer oil, and injury to apple, 1001
control of apple scab and bitter rot, 1014
control of black rot of grapes, 1011
control of early blight and anthracnose of tomatoes, 1003
control of Fusarium scale rot of lilies, 966
control of lily bulb scale rot, 992
control of tomato anthracnose, 1014
effect on orchard fruits, 1002
greenhouse weathering tests for, 1014
hop twine treatment, 1008
tobacco seedbed treatment, 997
Festuca spp., Erysiphe graminis on, 9
Phoma terrestris on, 129
Puccinia graminis on, 306
elatior, blind-seed of, 934
myuros, blind-seed of, 934
FISCHER, G. W., 301, 934
Flax, control of dodder on, 704
Phoma terrestris on, 130
relation of rust damage in seed flax to seed, 348
resistance to wilt, nature of, 356
in rotation with sugar beets, 805
seedling blight and root rot of, 1011
FLOR, H. H., 348
FOLSOM, D., 999, 1000
Forage legumes, effect of fungicide on germination of, 799
Formaldehyde, use in control of crown rot of celery, 100
in control of millet smut, 1053
Formalin, control of basal rot of tomato, 621
control of crown rot of iris, 773
control of fusarium scale rot of lilies, 966
control of lily bulb scale rot with, 992
treatment for calla root rot, 980
FORSBERG, J. L., 753
FOSTER, R. E., 1000
FOWLER, M. E., 987
FRAMPTON, V. L., 1000
FRASIER, N. W., 1000
Freckle, a spotting of tomato fruit, 341
FREITAG, J. H., 658
Fritillaria pudica, cucumber-mosaic on, 541
mottle virus on, 728
Fumigation for control of root-knot nematodes, 954

Fungicides
behavior of copper compounds to weathering, 991
benzene vapor in control of cabbage mildew, 100
bordeaux mixture in control of cherry leaf-spot, 1009
compatibility of organic and summer oil, 1001
control of apple scab and bitter rot, 1014
control of bacterial pustule of soybean, 1007
control of basal rot of tomatoes, 621
control of bean rust with, 936
control of black rot of grapes, 1011
control of Botrytis crown rot of iris, 773
control of bulb scale rot of lilies, 992
control of covered kernel smut of sorghum, 1034
control of crown rot of celery, 100
control of foliage diseases of tomato, 1009
control of Fusarium scale-rot of lilies with, 966
control of millet smut, 1052
control of Sclerotinia laxa on cherries, 997
control, in seed treatment of peas against Ascochyta, 1007
control of tomato anthracnose, 1014
copper sulphate as an eradicant spray, 936
deposition on cherry foliage, 1008
derivatives of pyridine and quinoline as, 1004
effect on germination of forage legumes, 799
effect of sprays on pre-harvest drop of apples, 1015
efficacy of, for control of cabbage clubroot, 185
evaluation of, by means of snapdragon rust, 1008
factors influencing toxicity of cuprous oxide, 459
flax seed treatment, 1011
fungicidal action of reagents for amino acids amines, aldehydes and other cell constituents, 1004
a greenhouse weathering technique for predicting field performance of, 1014
influence of guttation on, 196
isoquinolinium for control of apple scab, 1008
a new dust with adherence, 1013
pure chemicals as stimulants on slide germination tests of, 1009
relation between guttation fluid and spray injury, 203
report on potato fungicide program, 1003
seed treatment, sugar beets, 990
of tomato, New Improved Ceresan, 847
Semesan for control of charcoal rot in seedling corn, 841
spray program for control of apple scab, 1005
synergism as a tool in the conservation of, 136
tests with organic, on orchard fruits, 1002

treatment of black scale of lily, 569
zinc carbamate in control of early blight on potatoes and tomatoes, 1003
Fungi, associated with basal rot of tomato, 615
Fusarium spp., 47
association with basal rot of tomato, 615
association wtih black scale of lily, 561
association with charcoal rot of potatoes, 434
avenaceum var. **fabae** var. nov., wilt of broad bean, 385
bulbigenum lycopersici, mechanism of wilting, 41
toxins of, 53
var. niveum f. 2., 991
control of with vapor heat, 936
decay of potato seed pieces, 998
eumartii, culture extract, effect on potatoes, 993
lini, nature of resistance of flax to, 356
moniliforme, on cotton, 862
with Sclerotium bataticola on corn, 839
orthoceras var. **gladioli** n. var., 280
oxysporum f. conglutinans, resistance of cabbage to, 1013
on flax seedlings, 1011
cubense, antagonisms of soil organisms to, 426
var. lilii, 992
scale rot of lilies, 966
lycopersici, fruit invasion and seed carriage of, by tomato, 1005
predisposition of tomato to, 1000
nicotianae, 990
control of in cotton by rotation, 878
pisi, resistance of peas to, 1013
root rot of wheat, 1001
on seed of Ricinus communis, 226
seedling blight of sugar beet, 1012
solani v. martii, on peas, 758
a vascular disease of gladiolus, 263
liquid culture for field inoculation of cotton, 255
scale rot of lilies, control of, 966

GAINES, J. G., (870)
Galera tenera, spore dimension to rate of fall, 231
Gall, of sugar maple, 132
smut, from India, 143
Galtonia candicans, Ornithogalum mosaic on, 499
GARCIA, L. A., ALVAREZ, 357
GARCIA RADA, G., 705
GARDNER, M. W., (416)
Gladiolus, mosaic in, 594
a vascular disease of, 263
Gleosporium sp., on tobacco, 993
Glomerella cingulata, anthracnose of Chamaecrista, 1081
Gloriosa rothschildiana, 500
necrotic-fleck on, 540
Glyceria spp., borealis, blind-seed of, 934
Puccinia graminis on, 306
GOLDSWORTHY, M. C., 991
Goss, R. W., 1001
Gossypium barbadense, 235
hirsutum, 235
GOTTLIEB, D., 41, 353
GOULD, C. J., 704, 935
GRAHAM, T. W., (870)
Granville wilt, control of in tobacco by rotation, 871
Grape, black rot control of, by use of eradicant spray, 1011
Grasses (see also under specific binomials)
brome-grass mosaic on, 993
host to Erysiphe graminis, 1–4, 7
mode of infection of stem smut, 934
pathogenicity of a nonsporulating Basidiomycete on, 352
resistant to Erysiphe graminis, 1–4, 18
studies of stem rust on, 301
GREANEY, F. J., 1001
GRIES, G. A., 1001
GROVES, A. B., 1001
Growth substances, crown-gall metabolites, effect on growth in vitro of excised tobacco and sunflower tissue, 1003
control of Fusarium scale rot of lilies with, 966
of Fusarium, effect of potatoes, 993
of Nigrospora oryzae on maize cobs in relation to their physical and chemical characteristics, 315
reduction of loss of stored potatoes due to sprouting by treating with, 1012
in relation to solubility of cuprous oxide, 461
Guar, lethal virus of, 998
Guayule, effects of splash injury in, 508
oil spray injury to seedling, 697
Phytophthora root rot of, 933
resistance to root-knot nematode, 766
Verticillium wilt of, 936
GÜSSOW, H. T., 147, 149
Guttation, salt injury of leaves, 436
influence on pesticides, 196
Gymnoconia interstitialis, 23

HAENSELER, C. M., (848)
Halo blight, of beans, variations in symptoms, 471
HAMILTON, J. M., 1002, (1008)
HANSEN, H. N., 257
HANSING, E. D., 1034
HARDISON, JOHN R., 1
HARE, W. W., (1013)
HARRAR, J. G., 1002
HARRISON, G. J., (849)
HART, H., 884, (998)
HARTER, L. L., (512)
HEDGES, F., 662
HEGGESTAD, H. E., 1002
Helminthosporium spp., 47
leaf-spot of Sudan grass, new, 992
staining technique for, 700
bromi, leaf spot of brome-grass, 997
carbonum, n. sp., 219
gramineum, reaction of barley varieties to, 572
maydis, 203
sativum, 1001
spore dimension to rate of fall, 231
Helochara delta, vector of grape virus, 1000
HENDERSON, R. G., 1002
HENRY, B. W., 631, 636

HEPTING, G. H., 1069
Heterodera marioni, 767, 990
  control of, in tobacco by rotation, 871
  fumigants for control of, 954
HEUBERGER, J. W., 991, 1003
HILDEBRAND, E. M., 259, 345, 1003
HILDEBRANDT, A. C., 1003
HIRSCHHORN, E., 1004
HOFFMASTER, D. E., 439
Holcus lanatus, blind-seed of, 935
  Erysiphe graminis on, 9
HOLTON, C. S., 586
HOOKER, W. J., 606
Hop twine, treatment of in control of downy mildew, 1008
Hordeum spp., Erysiphe graminis on, 13
  gussoneanum, blind-seed of, 934
  Puccinia graminis on, 306
  Phoma terrestris on, 129
  stem smut on, 934
HORSFALL, J. G., (136), (1001), 1004, (1025)
Host-parasite relations,
  Alternaria to tomato fruit, 343
  carrot leaf age to disease development, 611
  growth rate of host and pathogen as factors determining the severity of pre-emergence damping-off, 1007
  nutrition to disease severity, 603
  of peach to mosaic, 934
  of Xanthomonas translucens to its hosts, 1013
  of Puccinia coronata to oats, 21
  of tomato fruit to Phytophthora capsici, 814
  of Botrytis to iris, 786
  in red rot of sugar cane, 827
Host plants, of Puccinia graminis, 304
Host-predisposition, water influence on, 1005
Host range
  of brome-grass mosaic, 993
  of Chalara quercina, 636
  of cineraria viruses, 950
  of Erysiphe graminis, 16
  of lily mottle virus, 726
  of necrotic-fleck virus, 549
  of latent virus of dodder, 77
  of Phoma terrestris on Gramineae, 129
  of Phytomonas michiganensis, 395
  of prune dwarf virus, 1038
  of ring spot and yellows of cherry, 1009
  of tobacco broken ring-spot virus, 328
  of virus of lovage, (exp.), 335
HOWARD, F. L., 1004, 1005
HOYMAN, W. G., 505, 767
HUMPHREY, HARRY B., 21
HUNT, N. R., 995
HUTCHINS, L. M., 995
Hyacynthus, sp., Ornithogalum mosaic on, 500
Hybrids, of wheat and resistance to stem rust, 884
Hydroquinone, use in immunization of peach trees to X disease, 1011

Immunization, of elm from infection by Verticillium wilt, 1012
  of peach trees to X-disease by chemotherapy, 1011
Indolebutyric acid, control of Fusarium scale rot of lilies, 966
Inheritance, of chlamydospore and sorus characters in Tilletia, 586
Inops consilii, yellow bud mosaic of peach, 658
Insects as vectors
  of Allium viruses, 990
  Aphis gossypii of necrotic fleck, 538
  of big vein of lettuce, 902
  of cineraria streak and mosaic, 950
  Eutettix tenellus, curly top virus vector, 116
    of lily mottle, 733
  Myzus persicae, of gladiolus mosaic, 595
    of lily mottle, 720
    of onion yellow dwarf, 506
  of Ornithogalum mosaic, 502
  phylogenetic relationships of leafhoppers, vectors of grape virus, 1000
  of potato leaf roll, 935
  problems of quarantine, 995
  Scolytus multistriatus, Dutch Elm disease, 1025
  of squash mosaic, 405
  of Tigridia-mosaic, 595
  of witches'-broom of alfalfa, 936
Iris, control of crown rot in, 772
Isoquinolinium, for control of apple scab, 1008
Isothan, in control of apple scab, 1008
  effect on orchard fruits, 1002
Ixia, mosaic in, 594
IVANOFF, S. S., 436

JACOBSON, H. G. M., (1001)
JEFFERS, W. F., (991)
JENKINS, A. E., 983, 992
JENSEN, J. H., 471, 1001
JOHNSON, A. G., (613)
JOHNSON, E. M., (163), (250)
JOHNSON, J., 1005
JONES, L. K., 935, 941

Kalanchoe daigremontiana, Agrobacterium on, 259
KENDRICK, J. B., 1005
KEIL, H. L., (1004), (1005)
KEITT, G. W., 1005, (1009)
KLIGMAN, A. M., 376
KLOTZ, L. J., 507
KNEEN, E., (124)
Koeleria spp., Puccinia graminis on, 306
  cristata, Erysiphe graminis on, 10
    Phoma terrestris on, 129
KOTILA, J. E., (990)
KRIETLOW, K. W., 411, 1006
KREUTZER, W. A., (813), 847
KUNKEL, L. O., 1006

Lachenalia sp., Ornithogalum virus on, 499
LARGE, J. R., 648
LARSON, R. H., (998), 1007
Late blight, control of in greenhouse weathering tests, 1014
Lavatera trimestris, lovage virus on, (exp.), 339

LEACH, J. G., (459), 1007
LEACH, L. D., 935, 1007, 1008
Lead arsenate, calyx spray of apple, 1017
Leaf-blight, pear, control of with organic fungicides, 1002
Leaf curl, mature peach fruits affected by, 345
Leaf-gall, control of, on azaleas, 354
Leaf hopper, control of on potatoes with zinc carbamate, 1003
and latent virus of dodder, 85
Leaf roll, of potato, 935
resistance to, 999
Leaf-spot
of Bromus inermis, 997
cherry, control of with organic fungicides, 1002
control of on cherry, 1008
Rhizoctonia of cotton, 599
of Sudan grass, new, 992
Leaf-spot bacteria, root infection of crop plants with, 163
LEAR, B., (954)
LEFEBVRE, C. L., 992
LEHMAN, S. G., 1007
Legumes, effect of fungicides on germination of, 799
Leguminosae, lovage virus in the, (exp.), 338
Lepidium campestre, Phoma terrestris on, 130
Leptochloa filiformis, Colletotrichum falcatum on, 203
LESLEY, J. W., (116)
Lettuce, big vein of, 900
LEWIS, F. H., 1015
Light, in relation to shedding of cotton-bolls, 999
intensity, effect on infection types of Puccinia graminis tritici, 1010
Lignosan, 100
Ligusticum scoticum, a virus disease of, (new), 335
Lilium auratum, mottle virus on, 726
candidum, mottle virus on, 723
davidi Duchartre, mottle virus on, 728
davuricum, mottle virus on, 728
elegans, mottle virus on, 728
formosanum, 500
mottle virus on, 719
leucanthum, mottle virus on, 728
longiflorum (see lily), 498
mottle virus on, 719
necrotic-fleck complex in, 529
sargentiae, mottle virus on, 726
superbum, mottle virus on, 726
tigrinum, cucumber-mosaic of, 541
mottle virus on, 719
testaceum, Fusarium scale rot on, 966
umbellatum, mottle virus on, 728
Lily
black-scale of, 556
Colletotrichum **lilii** sp. nov., 567
control of bulb scale rot with fungicides, 992
mottle group of viruses, 718
necrotic-fleck in, 529
Lima bean, seed treatment, 790
Lime, calyx spray of apples, 1017
Lime-sulphur, control of bean rust, 936
and leaf injury of apples, 1015
as a prebloom spray for apples, 1005
Linum usitatissimum (see Flax)
LIVINGSTON, J. E., 124, (471)
LN Puratized, hop twine treatment with, 1008
LOCKE, S. B., 1008
LOEGERING, W. Q., (421), (1002)
Lolium perenne, blind-seed of, 934
Erysiphe graminis on, 10
temulentum, blind-seed of, 934
LÓPEZ ELÍAS, ANDRÉS R., biography of, 357
LOWTHER, C. V., (1007)
Lovage (see Ligusticum)
Lupinus, angustifolius, 249
Lycopersicum esculentum (see Tomato)
hirsutum, reaction to spotted wilt, 504
pimpinellifolium, curly top virus of, 116
reaction to spotted wilt, 504
Lyre joint, new term, for branching in Endoconidiophora, 1075

MACK, G. L., (1002), 1008
Macrophomina phaseoli, root rot of Chamaecrista, 1079
Macrosporium spp., control with vapor heat, 936
carotae, leaf spot of carrot, 606
sarcinaeforme, 136, 199
pyridine and quinoline derivatives as fungicides of, 1004
toxicity of nicotinium derivatives to, 1004
Macrosiphum lilii, in transmission of Ornithogalum mosaic, 498
solanifolii, in transmission of Ornithogalum mosaic, 498
vector of potato leaf roll, 935
vector of tulip breaking virus, 737
lilii, transmission of tigridia-mosaic, 595
Macrosteles divisus, vector of aster yellows to onions, (exp.), 990
MAGIE, R. O., 1008
Maltose, use in immunization of peach trees to X disease, 1011
Maneval's stain, for nuclei of Helminthosporium, 701
Maple, gall of sugar maple, 132
Marmor cepae, overwintering in tree onions, 506
laesiofaciens, on beans, severe necrosis, 510
mite, 743
phaseoli, association with Xanthomonas phaseoli, 662
secretum sp. nov. latent virus of dodder, 88
tabaci, inducing cell inclusions, 694
tulipae, 742
Marasmius oreades, spore dimension to rate of fall, 231
MARKHAM, R., (324), 335
MARTEN, E. A., 459
MCCALLAN, S. E. A., (1014), 1009
MCCLELLAN, W. D., 223, 966, 992

McCOLLOCH, L. P., 437
McCUBBIN, W. A., 230, 994
McCULLOCH, LUCIA, 263
McINROY, S. W., 993
McKINNEY, H. H., 60, 989, 993
McLEAN, D. M., 818
McWHORTER, F. P., 935, (936)
Medicago hispida, witches'-broom of, 936
lupulina, witches'-broom of, 936
sativa (see Alfalfa)
Melilotus alba, effect of fungicides on germination of, 799
Melampsora lini, damage in seed flax, 348
MELCHERS, L. E., (1034)
MENZIES, J. D., 936
Mercuric chloride, in control of clubroot of cabbage, 187
seed treatment for sugar beets, 990
treatment for calla root rot, 980
control of crown rot of Iris, 773
entrance in water-soaked leaves of tobacco, 252
seed treatment for Fusarium wilt of tomato, 1005
tomato seed treatment, 183
oxide, in control of clubroot, 190
iodide, seed treatment for sugar beets, 990
sulphide, in control of clubroot, 190
Mercurous chloride, in control of clubroot, 190
Mercury, orthophenylphenol, in control of clubroot, 190
oxide, in control of crown rot of iris, 779
pentachlorophenolate, in control of clubroot, 190
trichlorophenolate, in control of clubroot, 190
MEREDITH, C. H., 426, (485)
Mesembryanthemum crystallinum, cucumber mosaic on, 597
Methasan, in control of apple scab and bitter rot, 1014
Methyl bromide, in control of root-knot nematode, 955
MIDDLETON, J. T., 405
MILBRATH, J. A., 936, 937
Mildew, overwintering of, 937
Milium effusum, Erysiphe graminis on, 10
MILLER, H. J., 1009
MILLER, P. R., (255)
MILLER, P. W., (935), 936
Millet, nomenclature of smut of, 613
physiologic specialization of smut on, 1050
Mimosa, canker and decay fungi on, 985
MOORE, J. D., 1009
MORRIS, H. E., 769
Mosaic, abrasives, in inoculating sugar cane with, 844
association of bean mosaic and bean blight, 662
of brome-grass, 993
causing a severe necrosis on beans, 510
cucumber mosaic, 541, 597
in Colchicum autumnale, 541
in Fritillaria pudica, 541
in Gloriosa rothschildiana, 541
in Lilium tigrinum, 541
in sugar beet, 906
dodder latent mosaic, 907
gladiolus mosaic, 593
in Iridaceous hosts, 593
of mustard, 907
of Ornithogalum, 497
of peach, 907
peach mosaic, 934
of peach, dissemination, 658
relation of peach to, 934
resistance of cabbage to, 1012
streak of cineraria, 941
of sugar beet, 906
tigridia mosaic, 593
of tobacco, 907
MOSHER, H. H., (1004)
MOSES, C. S., (636)
Muhlenbergia richardsonis, Phoma terrestris on, 129
MUNDKUR, B. B., 143, 939
Mung bean, guar lethal virus of, 998
MUNGER, H. M., (1010)
Muskmelon, guttation-salt injury on, 436
latent virus of dodder on, 78
Muscari botryoides, 500
Mushroom, control of truffles in beds of cultivated mushrooms, 376
Mustard, mosaic in, 907
Mycosphaerella pinodes, in association with Colletotrichum on peas, 1010
MYERS, W. M., (411)
Myzus circumflexus, in transmission of Ornithogalum mosaic, 498
transmission of tigridia-mosaic, 595
persicae, 85
in transmisison of Ornithogalum mosaic, 498
vector of garlic mosaic, 990
vector of gladiolus mosaic, 595
vector of lily mottle virus, 720, 725
vector of potato leaf roll, 935
vector for yellow dwarf, 506
pseudosolani, vector of potato leaf roll, 935

Near-wilt, resistance to in peas, 1013
NAGEL, C. M., 1009
Naphthaleneacetic acid, control of Fusarium scale rot of lilies, 966
NAUMOV, N. A., 513
NEAL, D. C., 599
Necrotic-fleck, in Lilium longiflorum, 529
Necrotic ring spot, of cherry, host range, 1009
Nectria sp., associated with gall of maple, 135
cinnabarina, on Mimosa, 986
Nematode, control of foliar nematode of chrysanthemum with sodium selenate, 999
Neokolla circellata, vector of grape virus, 1000
confluens, vector of grape virus, 1000
gothica, vector of grape virus, 1000
heiroglyphica, vector of grape virus, 1000
Net necrosis, inhibition in storage by temperature control, 999
NEWHALL, A. G., 92, (954)

Nicotiana glauca, cucumber mosaic in, study in multiplication, 155
glutinosa, Arabis mosaic virus on, 326
cell inclusions in mosaic-infected plants, 694
invasion of water-soaked leaves of, with virus, 252
lovage virus on, (exp.), 338
mustard mosaic in, 907
tobacco mosaic virus on, 289
virus transmission study with dodder, 152
langsdorffi, lovage virus on, (exp.), 338
palmeri, susceptible to latent virus of dodder, 84
tabacum, 500
Arabis mosaic virus on, new, 324
lovage virus on, (exp.), 335
rustica, lovage virus on, (exp.), 338
sylvestris, lovage virus on, (exp.), 338
virus transmission study with dodder, 152
Nicotine injury in soybean, 257
Nicotinium derivatives as fungicides, 1004
NIELSEN, L. W., 1009
Nigrospora oryzae, chemical and physical characteristics of maize cobs in relation to the growth of, 315
NIKITIN, A. A., 1013
Nitrogen, compounds of reducing the toxicity of cuprous oxide, 467
Nomenclature, of broomcorn millet smut fungus, 613
of Puccinia oryzae, 441
Nucleus, stain for Helminthosporium, 700
Nutrients, in relation to the development of Puccinia graminis tritici, 998
Nutrition, in relation to disease severity in plants, 603

Oak, Chalara **quercina** n. sp., wilt of, 631
wilt, significance, symptoms and cause, 636
Oats, brome-grass mosaic on, 993
negative correlation between yield and size of pustules of crown rust of, 1011
Phoma terrestris on, 129
relation of seed quality to the development of smut, 106
resistance to Ustilago levis and Ustilago avenae, 114
in rotation with sugar beets, 805
Oedema, of violet identified as scab, 992
Olive, Cercospora fruit and leaf spot of, 257
OLSON, E., (753)
Onion, guttation-salt injury on leaves of, 436
tree onion a carrier of yellow-dwarf, 506
Ontogenic characteristics of Ustilago linearis forma hordei, 1004
Orange, control of orange decay with thiourea, (exp.), 983
Ornithogalum thyrsoides, mosaic on, 497
mottle virus on, 720
Oryzopsis hymenoides, Phoma terrestris on, 129
OU, S. H., 1010

PALMITER, D. H., 1002
Palustrex, use in control of crown rot of celery, 100
Panicum spp., Phoma terrestris on, 129
antidotale, smut-galls on, 143
Pancratium maritimum, culturing of Macrosiphum lilii on, 499
Pansy, Ansatospora macrospora on, 99
ringspot virus on, 74
Papulospora sp., 47
Parasitic races, of Ustilago crameri, 1052
Parasitism, host-parasite relationship of Puccinia coronata and oats, 21
of Rhizoctonia solani on beans, 1056
PARRIS, G. K., 700
Parsley, transmission of peach virus to, 1006
Parthenium argentatum (see Guayule)
Partridge pea, stem and root rot, and anthracnose of, 1077
Pathogenicity, of Aphanomyces cochlioides on sugar beets, 485
of Botrytis on vetch, 247
Erysiphe graminis on wild and cultivated grasses, 1
of Glomerella cingulata on Chamaecrista, 1083
of Macrophomina on Chamaecrista, 1079
of a nonsporulating Basidiomycete on grasses, 352
of Rhizoctonia on beans, wounds in relation to, 1059
Paxillus involutus, spore dimension to rate of fall, 231
Pea, anthracnose of, 1010
Cineraria virus on (exp.), 951
lovage virus on, (exp.), 338
resistance to near-wilt, 1013
seed treatments, 753
seed treatment for Aschochyta, 1007
Peanut, in rotation for control of tobacco root-knot, 872
hull, addition of in tobacco seedbed as a growth stimulant, 1002
Peach, arsenical injury of, 763
calico, 650
mature fruit affected by leaf curl, 345
method of inoculating with crown-gall bacteria, 764
mosaic of, 907, 934
dissemination of, 658
prune dwarf on, 1037
Taphrina deformans, mycelium in fruit, 977
transmission of virus from peach to herbaceous plants, 1006
Pemphigus lactucae, vector in big vein of lettuce, 904
Penicillium sp., associated with black scale of lily, 561
on cotton seedlings, 864
effect of, on plant pathogens, 760
digitatum, green-mold decay of orange, 983
expansum, 47
relation to seedling blight of flax, 1011

Pentachlorphenol, hop twine treatment with, 1008
in control of clubroot, 191
Pepper, guttation-salt injury on leaves of, 436
in rotation for control of bacterial wilt of tobacco, 875
virus of, 991
Pereonia byssoides, 47
Periwinkle, transmission of peach virus to, 1006
Peronospora parasitica, control of on cabbage, 1000
Persimmon wilt, 996
PERSON, L. H., 715, 1010, 1056
Pesticides, influence of guttation fluid on, 196
PETTY, M. A., 993
Petunia, guar lethal virus on, 998
Phalaris arundinacea, Puccinia graminis on, 306
Phaseolus vulgaris (see Bean)
tobacco mosaic virus on, 289
Phialea temulenta, blind-seed disease of grass, 934
Phleum spp., Erysiphe graminis on, 10
phleoides Puccinia graminis on, 306
pratense, blind-seed of, 935
Phoma terrestris on, 129
Phloem necrosis, histo-pathologic changes in elm by, 818
Phoma, seed treatment of sugar beet for, 935
of sugar beets, controlled with vapor heat, 936
apiicola, 102
betae, seedling blight of sugar beets, 1012
on sugar beets, 491
terrestris on Gramineae in the Great Plains, 129
Phomopsis citri, stem-end rot of orange, 983
Phosphorus in urediospores, 29
Photinia serrulata, 937
Physiological races, culture races of Phytomonas medicaginis var. phaseolicoli, variations in, 478
determination in rusts of oats, 113
Erysiphe graminis **hordei**, new race, 18
Erysiphe graminis tritici, 2
of Fusarium wilt of gladiolus, 273
of Puccinia graminis tritici, in relation to wheat improvement, 1002
and resistance in wheat, 886
of Ustilago hordei, hybridization of, 993
Physiological specialization, of millet smut, 1050
of barley stripe influencing varietal responses, 585
of Puccinia glumarum, 1020
Physalis peruviana, severe-etch virus on, 289
Physalospora, tucumanensis, host parasite relation to sugar cane, 827
perfect stage of Colletotrichum falcatum, 212
Phymatotrichum omnivorum, 767
Phytomonas carotae, as it affects carrot roots, 416
juglandis, bacterial blight of walnut, 330
blight of walnut, 933
malvacearum, testing resistance to, 235
medicaginis var. phaseolicola, variations in symptoms of, 471
michiganensis of tomato, 175, 394
transmission of, 396
pisi, blight of purple vetch, 933
solanacearum, 175
wilt of tomato, 443
vesicatoria, in New Jersey, 175
punctulans, control of on tomato, 1009
Phytolacca americana, latent dodder mosaic on, 908
Phytophthora capsici, fruit rot of tomato, 845
infection of tomato fruit, 813
drechsleri, root rot of guayule, 933
fragariae, methods for testing strawberries for resistance to, 991
richardiae, root rot of calla, 979
erythroseptica, pink rot of potato, 1010
Phytotoxicity, of pyridine and quinoline derivatives, 1004
Pisum sativum (see Pea), 24
PINCKARD, J. A., 1000
PLAKIDAS, A. G., 556
Plantago major, susceptible to latent virus of dodder, 84
Plant diseases, quarantine problems, 994
Plant pathogens, effect of penicillin on, 760
Plasmodiophora brassicae, control of on cabbage, 185
Platymoideus acutus, vector of alfalfa witches'-broom, 936
Pluteus cervinus, spore dimension to rate of fall, 231
Poa spp., stem smut on, 934
Erysiphe graminis on, 2–4
Phoma terrestris on, 129
pratensis, stripe smut of, 411, 1006
Puccinia graminis on, 307
Pokeweed (see Phytolacca americana)
latent virus of dodder on, 82
Pollen, as a source of infection for walnut bacterial blight, 330
Polygonum pennsylvanicum, susceptible to latent virus of dodder, 84
Polyporus hirsutus, on Mimosa, 987
squamosus, spore dimension to rate of fall, 231
tulipiferus, on Mimosa, 987
versicolor, on Mimosa, 987
Portraits, Butler, Sir D. J., 149
Fraser, W. P., 708
Mitra, M., 938
Swingle, D. B., 769
Potassium chloride, relation to copper toxicity, 201
ratio to calcium in relation to clubroot of cabbage, 1001
sulphate, relation to copper toxicity, 201
Potato, control of early blight of, with zineate and methesan, 1014

charcoal rot of, 433
derivatives of pyridine and quinoline, toxicity to, 1004
effect of culture extract of Fusarium on, 993
Fusarium seed piece decay of, 998
influence of temperature on the susceptibility of potatoes to bacterial soft rot, 1009
latent virus of dodder on, 79
leaf roll of, 935
loss due to sprouting in storage reduced by hormone treatments, 1012
new disease resembling Fusarium wilt, 998
report of fungicide program, 1003
resistance to leaf roll, 999
scab in relation to the potassium-calcium balance, 1001
in rotation for control of bacterial wilt of tobacco, 875
Pythiaceous stem-end rot of, 1001
Pythium debaryanum, tuber rot of, 1010
temperature in inhibition of net-necrosis, and stem-end browning in storage, 999
purple top wilt study of, 1006
Thecaphora smut of, 712
Predisposition, water influencing host, 1005
Protective action, of certain mottle viruses against coarse mottle, 739
Proteus vulgaris, in relation to solubility of cuprous oxide, 463
Prune dwarf, distribution of, 1037
strains of, 1037
Prunus armeniaca, prune dwarf virus on, 1038
avium, crinkle on, 1003
prune dwarf virus on, 1038
cerasifera, prune dwarf virus on, 1038
cerasus, necrotic ring spot and yellows on, 1009
prune dwarf virus on, 1038
domestica, prune dwarf virus on, 1038
mahaleb, prune dwarf virus on, 1038
pennsylvanica, virus of, 1003
persica (see Peach)
prune dwarf virus on, 1038
salicina, prune dwarf virus on, 1038
virginiana, virus on, 1003
PRYOR, D. E., (185)
Psalliota campestris, spore dimension to rate of fall, 231
Pseudobalsamia microspora, control of, in mushroom beds, 376
Pseudoperonospora humuli, control of on hop twine, 1008
Psorosis, statistical studies of distribution of affected citrus trees, 358
transmission of, 371
Puccinia coronata, host-parasite relationship to oats, 21
glumarum, physiologic specialization of, 1020
graminis, studies of stem rust on grasses, 301
avenae, potential importance of race 8, 421
tritici, 22
light intensity influencing infection types on wheat, 1010
on new wheat varieties, 884
nutrients and temperature in relation to development of, 998
physiologic races in relation to wheat improvement, 1002
spore dimension to rate of fall, 231
oryzae, bibliography and nomenclature of, 441
parthenii, on guayule, 766
triticina, spore dimension to rate of fall, 231
Punctate necrosis, identity of the virus in potatoes, 1006
Purple top, of potato, studies of, 1006
Pumpkin, Phoma terrestris on, 130
Puratized N5–D, in control of apple scab and bitter rot, 1014
N5X, effect on orchard fruits, 1002
Pyrenophora bromi, leaf spot of brome grass, 997
Pyrocantha cranulata, 937
Pythium spp., association with basal rot of tomato, 615
stem-end rot of potato tubers, 1001
butleri, potato wilt, 1010
debaryanum in relation to Aphanomyces cochlioides on sugar beets, 490
on sugar beets, 485
as test organism for toxicity of cuprous oxide, 465
tuber rot of potato, 1010
ultimum, damping-off organism, 1007

Quarantine, problems of, 994
Quercus alba, 635, 636
borealis, wilt of, 631, 636
coccinea, 635, 636
macrocarpa, 635, 636
velutina, wilt of, 631, 636

RAWLINS, T. E., (257)
Red rot, host parasite relations with sugar cane, 827
Respiration, enzymes of, 31
in rust-infected host tissue, 30
Resistance, of cabbage to yellows and mosaic combined with high ascorbic acid content, 1012
of grasses to Erysiphe graminis, 1–4, 18
nature of, in flax to Fusarium lini, 356
of potato to leaf roll, 999
technique for testing in cotton seedlings, 235
testing strawberries for, to Phytophthora, 991
of wheat varieties to Puccinia glumarum, 1023
of wheat varieties to stem rust, 884
Rhodendrum obtusum (see Azalea)
Rhizoctonia sp., blight of seedling tung trees, 648
leaf spot of cotton, 599
seedling blight of sugar beets, 1012
solani, 47

on beans, 1056
comparative study of basidiospore cultures, 999
damping-off of cotton seedlings, 868
on tobacco, 990
variant in, 715
Rhizome treatment, for control of Botrytis crown rot of iris, 772
Rhizopus sp., on cotton seedlings, 864
stem blight of tomato, 1006
RICHARDS, C. A., (636)
RICHARDS, M. C., (997), 1011
RICHARDSON, J. K., 615
Ricinus communis, seedling blight of, 223
RIKER, A. J., (636), 989, (1004), (1012)
RICKETT, H. W., (261)
Ring spot, acute and chronic symptoms in tobacco, 60
of cherry, host range, 1009
ROBERTS, C., 979
Roegneria pendulina, Phoma terrestris on, 129
RODRIGUEZ V., J., 1010
Root-knot, control by rotation, in tobacco, 871
nematode, resistance of guayule to, 766
soil fumigation in control of, 954
Root rot, of Chamaecrista, partridge pea, 1077
of flax, 1011
of guayule, 932
of wheat in relation to planting conditions, 1001
Rotation, as control of diseases of tobacco, 990
in control of tobacco diseases, 870
effect on tip rot in sugar beets, 805
in relation to control of Rhizoctonia on beans, 1067
Root infection, of crop plants and weeds by tobacco leaf-spot bacteria, 163
ROSEN, H. R., 1011
Rosette virus, possible relation to prune dwarf virus, 1048
Rot, bacterial soft rot of spinach, 747
basal rot of tomato, 615
of calla roots, control of, 979
charcoal rot of potatoes, 433
control of crown rot in iris, 772
crown rot of celery, 92
red rot of sugar cane, 827
RUDOLPH, B. A., 622, 849
RUE, J. L., 934
Russula emetica, spore dimension to rate of fall, 231
Rust, flax rust, relation of damage to seed quality, 348
Rye, brome-grass mosaic on, 993
Xanthomonas translucens on, 1014

Saccharum barberi, Colletotrichum on, 206
officinarum, Colletotrichum falcatum on, 206
robustum, Colletotrichum falcatum on, 206
sinense, Colletotrichum falcatum on, 206
spontanerum, Colletotrichum falcatum on, 206
Salix babylonica, Sphaceloma on, 982
fragilis, Sphaceloma on, 982
lasiandra, gray scab on, 982
lasiolepis, Sphaceloma on, 982
Samolus floribundus, 83
Sansevieria, bacterial soft rot of, 350
Santophen, in control of clubroot, 191
Sapstreak, a new disease of sugar maple, 1069
Scab, apple, control of with methasan and fermate, 1014
Scale rot, of lilies, control of, 966
Schedonnardus paniculatus, Phoma terrestris on, 130
Schizophyllum commune, on Mimosa, 987
SCHNEIDER, H., 936
SCHUSTER, M. L., 356, 1011
Scilla peruviana, 500
Sclerotinia spp., control of with vapor heat, 936
fructicola, 138
fructicola, effect of copper fungicides on, 991
with pure chemicals in slide germination tests, 1009
libertiana, 21
laxa, control of on cherries, 997
Sclerotium batatícola, on potatoes, 433
seedling infection of corn by, 838
rolfsii, control of in tobacco by rotation, 878
of tobacco, 990
Scolytus multistriatus, vector of Dutch Elm disease, 1025
SCOTT, C. E., 658
Secale spp., Erysiphe graminis on, 6
Puccinia graminis on, 308
Seed dissemination, of bean blight and mosaic, 662
of latent virus of dodder, 86
of Fusarium wilt of tomato, 1005
of Phytomonas carotae, 419
of squash mosaic virus, 405
of Verticillium alboatrum wilt of tomato, 622
of virus streak and mosaic in cineraria, 946
of walnut blight, 933
Seed treatment, of carrot for bacterial blight, 419
effect on emergence of peas, 754
effectiveness of, against surface borne Aschochyta on peas, 1007
greenhouse method for testing dust seed treatments to control certain cereal smuts, 401
heat vapor treatment, 935
of Lima beans, 790
of peas, 753
of tomato with ethyl mercury phosphate, 175
of tomatoes for Fusarium wilt, 1005
of tomato with New Improved Ceresan, 847
sugar beet, 990
of sugar beet for Phoma, 935
of vegetables, 935
Seedling blight, of flax, 1011

SEMENIUK, G., 838
Semesan, use in control of corn seedling charcoal rot, 841
control of crown rot of iris, 773
flax seed treatment, 1011
seed treatment, 934
for lima beans, 794
of peas, 1007
Bel, in control of clubroot, 190
Septoria lycopersici, 175
control of on tomato, 1009
Serial passage, of associated bean mosaic and bacterial bean blight, 682
Setaria spp., Phoma terrestris on, 130
italica, 1050 (see Millet)
SHANDS, H. L., 572
SHAW, K. J., (870)
SHAY, J. R., 1011
SHEAR, G. M., 603
SHERBAKOFF, C. D., 255
SIEGLER, E. A., (985)
SIMPSON, D. M., (255)
SIMONDS, A. O., 813
Sitanion spp., stem smut on, 934
hystrix, Erysiphe graminis on, 11
SMITH, C. O., 765
SMITH, F. F., 718, (990), (900), (529), 593, 497
SMITH, K. M., 324, 335
SMITH, M. A., 747
SMITH, P. G., 500
SMITH, T. E., (870)
Smut, control of covered kernel smut of sorghum, 1034
gall-forming smut, 143
greenhouse method for testing dust seed treatments to control certain smuts, 401
of millet, nomenclature, 613
physiologic specialization of millet smut, 1050
seedling invasion of covered smut of oats, 481
oats, the relation of seed quality to the development of smut, 106
stem smut of grasses, mode of infection, 934
stripe, of Poa pratensis, 411
Sodium citrate, relation to copper toxicity, 201
selenate, for control of foliar nematode of chrysanthemum, 999
hydroxide, control of dodder on flax, 705
Soft rot, potato, susceptibility to, in relation to temperature, 1009
of Sansevieria, 350
Soil, sterilization for control of basal rot of tomato, 621
transmission of big vein of lettuce, 901
treatment, for foliar nematode of chrysanthemum, 999
Soil dissemination, of Phytomonas solanacearum, 448
of Rhizoctonia of cotton, 602
Solanaceae, lovage virus in the, (exp.), 335
Solanum andigenum, Thecaphora smut on, 712
nodiflorum, arabis-mosaic virus on, new, 326
tuberosum (see Potato)
Sooty blotch, pear, control of with organic fungicides, 1002
Sorghum, brome-grass mosaic on, 993
control of covered kernel smut of, 1034
Phoma terrestris on, 130
Soybean, bacterial pustule, dusting for, 1007
lethal virus of guar on, 998
nicotine injury in, 257
Rhizoctonia solani on, 1063
in rotation with sugar beets, 805
SNYDER, W. C., (1007)
Sparaxis, mosaic in, 595
Spergon, in control of covered kernel smut of sorghum, 1034
control of defoliation diseases of tomato, 1009
flax seed treatment, 1011
control of Fusarium scale rot of lilies, 966
control of lily bulb scale rot with, 992
greenhouse weathering tests for, 1014
hop twine treatment with, 1008
seed treatment, 935
for legumes, 799
of Lima beans, 794
of peas, 753, 1007
sugar beets, 990
Sphaceloma araliae, host range, 982
murrayae, host range, 982
violae, scab of violet, 992
Sphacelotheca destruens comb. nov., synonyms, 613
panicimiliacei, nomenclature and synonyms, 613
Spinach, bacterial soft rot of, 747
Spirea bumalda, 937
Splash injury, in guayule seedlings, 508
Spore, dimensions to their rate of fall, 230
Sporonema oxycocci, rot of apples, 437
Spotted wilt, reaction of tomatoes to, 504
of tomato, 907
SPRAGUE, R., 129
Spray injury, in guayule seedlings, 697
lime in reducing arsenic injury to peaches, 763
of apples and pre-harvest drop, 1015
Spray boom adapted for ground-spraying for apple scab, 1005
Spray schedule for control of brown rot of cherry, 997
Spur blight, control of on cherries, 997
Squash, analysis of guttation from, 197
seed transmission of mosaic virus, 405
STAHMANN, M. A., (185)
STAKMAN, E. C., 421, (1002)
STANDEN, J. H., 315
Staphylococcus aureus, 760
invasion of water-soaked leaves of tobacco, (exp.), 250
STARK, F. L., 954
Stem end browning, control of in potato by storage temperature control, 999
Stem rot, control of, in tobacco by rotation, 878
of Chamaecrista, partridge pea, 1077
Stem rust (see Puccinia graminis)
on new wheat varieties, 884
Stereum albobadium, on Mimosa, 987

STEVENS, N. E., 140
STEVENSON, F. J., (999)
STEVENSON, J. A., 613 (987)
STODDARD, E. M., 1011
Stomata, bacterial invasion through, 1005
Stipa spp., Phoma terrestris on, 130
Streak, of cineraria, 941
Streptanthera cyperea, Iridaceous virus on, 595
Stripe, of barley, reaction of varieties, 572
Stripe rust, of wheat, 1020
Stripe smut (see Ustilago striaeformis), 1007
STUART, N. W., (992), (966)
Styansus stemonitis, 47
Sudan grass, brome-grass mosaic on, 993
  leaf-spot of, new, 992
Sugar beet, black streak of, 933
  crop rotation and drainage effect on susceptibility to tip rot, 805
  latent virus of dodder on, 77
  pathogenicity of Aphanomyces cochlioides on, 485
  Phoma on seed of, 935
  Phoma betae on, 491
  Pythium debaryanum on, in relation to Aphanomyces cochlioides, 490
  seed treatment, 990
  seedling diseases of, 1012
  viruses of, 905
Sugar cane, host parasite relations with red rot, 827
Sugar maple, sapstreak of, new, 1069
Sulphur, control of apple scab, 1008
  control of bacterial pustule of soybean, 1007
  control of bean rust, 936
  control of covered kernel smut of sorghum, 1034
  control of crown rot of iris, 779
  control of millet smut, 1053
  control of tulip blight, 703
  flotation, for prebloom spray of apples, 1005, 1017
  fungicide, use with copper dusts, 136
Sunflower, effect of metabolites from crown-gall bacteria on growth in vitro, of tissues from, 1003
Sweet clover, in rotation with sugar beets, 805
Synergism, as a tool in the conservation of fungicides, 136

TAKAHASHI, W. N., (1000)
Taphrina deformans, mycelium in fruit of peach, 977
TAPKE, V. F., 993
Taxonomy, of Chalara, 634
Techniques, abrasives for inoculating sugar cane with mosaic, 844
  carborundum and its use in local-lesion tests for virus inoculations, 288
  cork-borer method for inoculating trees, 761
  determination of leaf injury index of apples, 1015
  effect of inoculation methods on the type of symptom expression, 64
  field inoculation of cotton with Fusarium, 255
  Fusarium bulbigenum lycopersici toxin in culture media, 46
  greenhouse method for testing dust seed treatments to control certain cereal smuts, 401
  growing of plants with roots in nutrient vapors, 507
  inoculation of maple trees with parasitic fungi, 1071
  inoculation methods for testing blue grass for stripe-smut resistance, 1007
  for inoculation with Phytomonas medicaginis var., phaseolicola, 475
  inoculation of tomatoes with Phytomonas solanacearum, 444
  inoculation of wheat with bunt, 124
  isolation of oak wilt organism, 642
  isolating pathogenic bacteria from soil, 164
  method of, greenhouse weathering for predicting field performance of fungicides, 1014
  inducing bark-shelling for tree diseases, 240
  inoculating peach seedlings with crown-gall, 764
  pathogenicity tests of Rhizoctonia on beans, 1057
  rapid transmission of plant viruses, 1010
  testing strawberries for resistance to Phytophthora, 991
  multiplication of virus in dodder, 151
  mycelial inoculation of barley with Helminthosporium, 573
  staining of Helminthosporia, 700
  producing epiphytotic of tomato fruit rot in the field, 845
  relation to plant disease quarantine, 995
  staining Puccinia coronata in host tissue, 25
  testing resistance of cotton to angular leaf spot, 235
  tests of solubility of cuprous oxide, 460
  transmission of prune dwarf virus by double-budding, 1038
TEHON, L. R., 1012
Temperature, influence of, on the susceptibility of potatoes to soft rot, 1009
  for inhibition of stem end browning and net necrosis in storage potatoes, 999
  in relation to the development of Puccinia graminis tritici, 998
  in relation to infection of cotton seedling with Colletotrichum gossypii, 861
  in relation to shedding of cotton bolls, 999
Teosinte, brome-grass mosaic on, 993
TERVET, IAN W., 106
Tetrachloro-para-benzoquinone (see Spergon)
Tetramethyl thiuramdisulfide (see Arasan), 966
Thecaphora **solani** n. sp., smut of potatoes, 712

Thermal inactivation, of lily mottle viruses, 731
Thiourea, control of orange decay with, (exp.), 983
THOMAS, H. REX, 341
THOMAS, H. E., 658, 1012
THOMPSON, R. C., 900
Thrips tabaci, vector of cineraria streak, 950
Tigridia, mosaic of, 594
TILFORD, P. E., 1012
Tilletia caries, inheritance of chlamydospore and sorus characters, 586
foetida, inheritance of chlamydospore and sorus characters, 586
levis, 401
method of inoculating wheat with, 124
tritici, 401
tumefaciens, gall-forming smut from India, 143
Tip rot of sugar beet in relation to drainage, 810
Tobacco, anthracnose of, new, 993
blue mold fungus eradication, 1012
cell inclusions in mosaic-infected plants, 694
chemical treatment of seedbeds, 997
disease control by rotation, 990, 870
mosaic, study in multiplication, 151
effect of metabolites from crown-gall bacteria on growth in vitro, of tissues from, 1003
etch of, 907
invasion of leaves by bacteria and virus, 250
mosaic, 907
necrotic-fleck on, 538
ringspot virus, acute and chronic symptoms on, 60
root infection of crop plants and seeds by tobacco leaf-spot bacteria, 163
stimulation of seedling growth, 1002
varietal variation and inheritance studies on natural watersoaking in, 1002
TODD, F. A., (1009)
p-Toluenesulfanilamide, use in immunization of peach trees to X disease, 1011
Tomato, Alternaria blight in relation to maturity of fruit, 997
analysis of guttation from, 197
bacterial canker of, 394
bacterial wilt of, 443
basal rot of, 615
cineraria streak on, (exp.), 951
control of anthracnose of, 1014
control of early blight and fruit rot with zineate and methasan, 1014
curly top virus, recovery from, 116
control of nematodes on, 954
foliage infection with Colletotrichum phomoides, 976
freckle, a spotting of fruit, 341
Fusarium wilt, mechanism of wilt, 41
seed borne, 1005
healthy shoot production by wilted plants, 353
infection of fruit by Phytophthora capsici, 813
latent virus of dodder on, 80
lovage virus on, (exp.), 338
method for producing field epiphytotic of fruit rot, 845
predisposition to Fusarium wilt, 1000
pyridine and quinoline derivatives toxic to, 1004
reaction to spotted wilt, 504
recovery from curly top virus, 116
Rhizopus stem blight of, 1006
ring spot virus, 906
in rotation for control of bacterial wilt of tobacco, 875
seed treatment of, 847
seed treatment wtih ethyl mercury phosphate, 175
spotted wilt of, 907
transmission of peach virus to, 1006
Verticillium wilt of, 622
viruses in, 152
TORRIE, J. H., (799)
Torula ligniperda, associated with gall of maple, 135
Toxicity, of bacteria in wetwood of elm, 997
of copper compounds, 991
of copper to spore germination, 201
of cuprous oxide, 459
Fusarium bulbigenum lycopersici to tomato, 48
Transmission, of latent virus of dodder, 84
of Ornithogalum mosaic, 497
seed transmission of cineraria streak and mosaic, 946
Tribasic copper sulphate, control of tomato anthracnose with, 1014
Trichoderma spp., association with basal rot of tomato, 615
Trifolium fragiferum, effect of fungicides on germination of, 799
hybridum, effect of fungicides on germination of, 799
pratense, effect of fungicides on germination of, 799
repens, effect of fungicides on germination of, 799
Trisetum spp., Puccinia graminis on, 308
flavescens, Erysiphe graminis on, 11
Triticum spp., Erysiphe graminis on, 1
Phoma terrestris on, 130
Puccinia graminis on, 308
compactum, resistance to stripe rust, 1023
dicoccum, stripe rust resistance, 1023
durum, stripe rust resistance, 1023
monococcum, stripe rust resistance, 1023
timopheevi, rust on, 894
vulgare, Puccinia glumarum on, 1020
Tritonia crocata, Iridaceous virus on, 595
Truffles, control of the truffle in beds of cultivated mushrooms, 376
Tuber rot, of potato, Pythium debaryanum, 1010
Tubercularia vulgaris, on Mimosa, 986
Tulip, blight, controlled with organic sulphurs, 703
lily mottle virus on, 722
necrotic fleck, 539

Tulipa gesneriana, 500
mottle virus on, 728
virus 1, 745
Tung, web blight of, 648

ULLSTRUP, A. J., 214
Uromyces caryophyllinus, 24
fabae, 24
Ustilago avenae, 402
on oats, 106, 107, 108, 109
crameri, physiologic specialization of, 1050
hordei, 403
hybridization of, 993
hypodites, stem smut of grasses, 934
levis, on oats, 106, 107, 108, 114
seedling invasion of oats, 481
linearis forma hordei, ontogenic characters of, 1004
nigra, 403
striaeformis, distribution of, on Poa, 411
factors influencing the after-ripening of, 1006
inoculation methods for testing blue grass resistance to, 1007
zeae, 47
spore dimension to rate of fall, 231
Ustulina vulgaris, cause of decay in maple roots, 1070

VALLEAU, W. D., 163, (250), (999), 1012
Variation
and inheritance studies on natural water-soaking in tobacco, 1002
in Rhizoctonia solani, 715
of symptoms of Phytomonas medicaginis phaseolicola, 471
VAUGHAN, E. K., 175, 443
Vegetable, carbamate and zincate as a fungicide for, 1014
seed treatment of, 935
Venturia inaequalis, with pure chemical stimulants in germination tests, 1009
Verticillium albo-atrum, 47
immunization of elm to, 1012
seed dissemination of in cotton, 849
wilt of tomato, 622
wilt, of guayule, 936
Vetch, Botrytis leaf spot of, 245
Vicia angustifolia, Botrytis leaf-spot of, 245
atropurpurea, Botrytis leaf-spot of, 247
faba, cucumber mosaic in, 157
grandiflora, Botrytis leaf-spot of, 247
sativa, Botrytis leaf-spot of, 247
villosa, Botrytis leaf-spot of, 247
Vigna sinensis (see Cowpea)
cucumber mosaic in, 158, 289
Viola tricolor (see Pansy)
Violet, oedema of, identified as scab, 992
Viruliferous, use of the term, 765
Virus (Plant—special and general data)
abrasive technique for inoculating sugar cane with mosaic, 844
electrophoretic studies of, 1000
host-parasite relations of peach to virus, 934
invasion of water-soaked leaves of tobacco, 250
method of rapid transmission of plant viruses, 1010
multiplication of, in dodder, 151
properties of, latent virus of dodder, 87
quarantine problems of, 995
strains of curly top, recovery from in tomato, 116
transmission of by dodder, 905
transmission of virus from peach to herbaceous plants, 1006
Virus (by plant hosts; for details see under hosts and specific diseases)
Adelonosus n. gen. **lilii** n. sp., 551
albino cherry, 937
of Alliums, 990
Arabis-mosaic virus, new, 324
possible relationships of, 326
association bean mosaic and bean blight, 662
aster yellows cause of purple top of potatoes, 1006
big vein of lettuce, transmission, 900
brome-grass mosaic, 993
cherry virus complex, 1003
Chlorogenus vaccinii, study in multiplication, 151
citrus psorosis, 907
crinkle of Prunus avium, 1003
cucumber mosaic, 289, 597
in Calochortus sp., 541
in Colchicum autumnale, 541
in Fritillaria pudica, 541
in Gloriosa rothschildiana, 541
in Lilium tigrinum, 541
in sugar beet, 906
curly top of sugar beet, 905
elm, phloem-necrosis, 818
etch of tobacco, 907
gladiolus mosaic, 593
identity of punctate necrosis and mottle in potatoes, 1006
latent mosaic of dodder, 907
latent virus of dodder and its effect on sugar beet and other plants, 77
lethal virus of guar, 998
lily mottle, 546
lily-rosette virus, 543
lovage, (new), 335
lovage, transmission, 339
Marmor cucumeris var. vulgare, 289
study in multiplication, 151
Marmor erodens var. severum, 289
Marmor scillearum, Ornithogalum mosaic, 503
Marmor tabaci var. vulgare, study in multiplication, 151
Marmor tabaci var. aucuba, study in multiplication, 151
mosaic diseases of Iridaceous hosts, 593
mottle group of lily viruses, 718
mustard mosaic, 907
necrotic-fleck complex in Lilium, 529
host range, 549
transmission, 534
Ornithogalum mosaic, 497

peach calico, 650
peach mosaic, 907
complex concept of, 934
dissemination, 658
of pepper, 991
perennial tree onion carrier of yellow dwarf, 506
possible relation of prune dwarf to rosette virus, 1048
prune dwarf strains, 1037
ring-spot of cherry, 1003
ring-spot of tobacco, acute and chronic symptoms, 60
seed transmission of squash mosaic, 405
severe-etch virus, 289
severe necrosis on beans, 510
spotted wilt of tomato, 907
streak of cineraria, 941
of sugar beet, 905
tobacco broken ring-spot virus, 328
tobacco mosaic virus, 289
tomato ring spot, 906
two new viruses affecting tobacco and other plants, 324
witches'-broom of alfalfa, 936
yellows of cherry, 1003
yellow vein of sugar beet, 906

WALKER, E. A., 993
WALKER, J. C., 185, 1013
WALLACE, J. M., 116
WALLACE, P. P., (1015), (1025)
WALLIN, J. R., 1013
Walnut, bacterial blight, pollen as a source of infection, 330
seed dissemination of walnut blight, 933
WANG, C. S., 1050
Wart, of sweet violet, 992
WATSON, R. D., 433, 1014
Watsonia, tigridia-mosaic on, 596
Waxlac, use in control of crown rot of celery, 100
WEIL, L., (1004)
WEIMER, J. L., 245, 1077
WEINDLING, R., 235
WEISS, F., 261
WELLMAN, R. H., 1014
Wetwood, of elm in Illinois, 997
Wheat, brome-grass mosaic on, 993
development of stem rust on in relation to nutrients, and temperature, 998
effect of light intensity on infection types of Puccinia graminis tritici, 1010
infection with Xanthomonas translucens, 1013
method of inoculation with bunt, 124
physiologic races of Puccinia graminis tritici in relation to wheat improvement, 1002
planting in relation to root rots, 1001
Xanthomonas translucens on, 1013
Wildfire, control of in tobacco seedbeds, 997
WILLISON, R. S., 1037
Wind, a factor in the long distance dispersal of Dutch Elm disease, 1031
WINTER, H. F., 1014
WILSON, E. E., 658
WILSON, J. D., 1014
Wilt, bacterial, of tobacco, 875
of broad bean, Fusarium avenaceum var. **fabae** var. nov., 385
Fusarium wilt of gladiolus, 263
Fusarium of tobacco, control of by rotation, 878
Fusarium of tomato, physiology of, 51
reaction of tomatoes to spotted wilt, 504
seed dissemination of Verticillium wilt of cotton, 849
predisposition of tomatoes to Fusarium wilt, 1000
tomato, mechanism of wilting, 41
WINGARD, S. A., (603)
Witches'-broom of beans, 505
transmission of on alfalfa, 936
WITHROW, A. P., 257
WOLFENBARGER, D. C., (1003)
WOODS, M. W., 694
WOODWARD, C. F., (1004)

Xanthomonas phaseoli, association with bean mosaic, 662
var. sojense, on wheat roots, 998
sojense, bacterial pustule of soybean, 1007
translucens, host relation of, 1013
seed and seedling infection with, 1013
vesicatoria, overwintering of, in association with wheat roots, 998
vignicola sp. nov., pathogenic on cowpeas and beans, 430
Xylaria sp., associated in dead roots of sugar maple, 1070
mali, black rot of apple, 1001

YARWOOD, C. E., 933, 937
Yellow dwarf, of onion, 990
Yellow leaf, (new), of pepper, 991
Yellow vein, of sugar beet, 906
Yellows of cherry, host range, 1009
of gladiolus, 263
YOUNG, H. C., (1012), (1015)
YOUNKIN, S. G., 977
YU, T. F., 385

Zantedeschia sp. (see Calla)
ZAUMEYER, W. J., 512
Zea mays, Phoma terrestris on, 130
ZELLER, S. M., 937
Zephyranthes spp., 500
ZENTMYER, G. A., (1004), (1015), 1025
Zineate, control of Fusarium scale rot of lilies, 966
control of lily bulb scale rot with, 992
Zinc oxide, in control of clubroot, 191
seed treatment, 935
dimethyl dithiocarbamate, control of early blight on tomatoes, and potatoes, 1003
sulphate, in control of clubroot, 191
use in immunization of peach trees to X-disease, 1011
Zinnia elegans, cucumber-mosaic on, 597
Zygadenus fremontii, mottle virus on, 728